

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø9/12/25



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
3	3	14	16	4	9	12
						25
						45
						65
3	3	14	16	4	9	17
						20
						25
						30
						35
						50
						55
						70
3	3	14	16	4	9	22
						25
						35
						55
						75
3	3	14	16	4	9	27
						20
						25
						30
						35
						45
						50
						70
3	3	14	16	4	9	36
						25
						35
						45
						55
						65
						85
3	3	14	16	4	9	46
						30
						35
						45
						55
3	3	14	16	4	9	56
						35
						60
3	3	14	16	4	10	12
						25
						45
						65

B	K	d1	d2	L	D	L1
3	3	14	16	4	10	17
						20
						25
						30
						35
						50
						55
3	3	14	16	4	10	22
						25
						35
						55
						75
3	3	14	16	4	10	27
						20
						25
						30
						35
						45
						50
3	3	14	16	4	10	36
						25
						35
						45
						55
						65
						85
3	3	14	16	4	10	46
						30
						35
						45
						55
3	3	14	16	4	10	56
						35
						60
3	3	14	16	4	14	17
						35
						55
						75
						95

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø14/22/25



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
9	6	20	25	5	14	22
					14	25
						30
						35
						50
						70
						90
						110
						125
						150
9	6	20	25	5	14	27
					14	25
						30
						45
						65
						85
						95
						105
						115
						125
						145
						165
9	6	20	25	5	14	36
					14	35
						45
						65
						85
						105
						125
						145
9	6	20	25	5	14	46
					14	35
						45
						65
						85
						105
						125
						145
9	6	20	25	5	14	56
					14	35
						55
						75
						95
						115
						135
9	6	20	25	5	14	66
					14	55
						65
						95
						125

B	K	d1	d2	L	D	L1
9	6	20	25	5	14	76
					14	55
						95
9	6	20	25	5	14	86
					14	55
						75
						95
9	6	20	25	5	14	96
					14	55
						95
9	6	20	25	5	14	116
					15	35
						55
						75
						95
9	6	20	25	5	15	22
					15	25
						30
						35
						50
						70
						90
						110
						125
9	6	20	25	5	15	27
					15	25
						30
						45
						65
						85
						95
						105
						115
9	6	20	25	5	15	36
					15	35
						55
						75
						95
						115
						125
						145
						165

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø15/46/35



Material: 1.7139 ca. 700HV

[illegible]

B	K	d1	d2	I	D	L	L1
9	6	26	31	7	18	27	35
				45			
				65			
				85			
				105			
				125			
				165			
				225			
				245			
9	6	26	31	7	18	36	35
				55			
				75			
				95			
				115			
				135			
				165			
				225			
				255			
9	6	26	31	7	18	46	35
				45			
				65			
				85			
				105			
				115			
				135			
				165			
				245			
9	6	26	31	7	18	56	35
				55			
				75			
				95			
				155			
9	6	26	31	7	18	66	35
				55			
				75			
				95			
				145			
9	6	26	31	7	18	76	55
				75			
				95			
				135			

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø18/86/55



Material: 1.7139 ca. 700HV

B	K	d1	d2	l	D	L	L1	
9	6	26	31	7	18	86	55	
				75				
				95				
				125				
9	6	26	31	7	18	96	55	
				95				
9	6	26	31	7	18	116	75	
				115				
9	6	26	31	7	18	136	135	
9	6	26	31	7	20	17	35	
				55				
				75				
				120				
9	6	26	31	7	20	22	35	
				45				
				65				
				85				
				115				
9	6	26	31	7	20	27	35	
				45				
				65				
				85				
				105				
				125				
				165				
				225				
				245				
9	6	26	31	7	20	36	35	
				55				
				75				
				95				
				115				
				135				
				165				
				225				
				255				

B	K	d1	d2	l	D	L	L1
9	6	26	31	7	20	56	35
				55			
				75			
				95			
				155			
9	6	26	31	7	20	66	35
				55			
				75			
				95			
				145			
9	6	26	31	7	20	76	55
				75			
				95			
				135			
9	6	26	31	7	20	86	55
				75			
				95			
				125			
9	6	26	31	7	20	96	55
				95			
9	6	26	31	7	20	116	75
				115			
9	6	26	31	7	20	136	135
				9	6	30	35
				55			
				75			
9	6	30	35	7	22	22	35
				55			
				75			
				105			
				130			

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø22/27/35



Material: 1.7139 ca. 700HV

B	K	d1	d2	l	D	L	L1
9	6	30	35	7	22	27	35
							45
							55
							65
							75
							85
							95
							105
							115
							125
							155
							165
							205
							245
							285
9	6	30	35	7	22	36	35
							55
							75
							95
							115
							135
							155
							165
							205
							245
							285
9	6	30	35	7	22	46	35
							45
							65
							85
							105
							125
							155
							165
							205
9	6	30	35	7	22	56	35
							55
							75
							95
							115
							165
							205

B	K	d1	d2	l	D	L	L1
9	6	30	35	7	22	66	35
							55
							75
							95
							155
9	6	30	35	7	22	76	55
							75
							95
							115
							135
							145
							155
9	6	30	35	7	22	86	55
							75
							95
							135
							155
							195
9	6	30	35	7	22	96	55
							75
							95
							125
9	6	30	35	7	22	116	75
							115
							135
							155
9	6	30	35	7	22	136	95
							135
9	6	30	35	7	22	156	155
9	6	30	35	7	24	17	35
							55
							75
9	6	30	35	7	24	22	35
							55
							75
							105
							130

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø24/27/35



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
9	6	30	35	7	24	27
					24	35
						45
						55
						65
						75
						85
						95
						105
						115
						125
						155
						165
						205
						245
						285
9	6	30	35	7	24	36
					24	35
						55
						75
						95
						115
						135
						155
						165
						205
						245
						285
9	6	30	35	7	24	46
					24	35
						45
						65
						85
						105
						125
						155
						165
						205
9	6	30	35	7	24	56
					24	35
						55
						75
						95
						115
						165
						205

B	K	d1	d2	L	D	L1
9	6	30	35	7	24	66
					24	35
						55
						75
						95
						155
9	6	30	35	7	24	76
					24	55
						75
						95
						115
						135
						145
						155
9	6	30	35	7	24	86
					24	55
						75
						95
						135
						195
9	6	30	35	7	24	96
					24	55
						75
						95
						125
9	6	30	35	7	24	116
					24	75
						115
						135
						155
9	6	30	35	7	24	136
					24	95
						135
9	6	30	35	7	24	156
					30	155
9	6	42	47	7	30	27
					30	45
						65
						105
						165
						185
						245
						285

N02

Guide Pillar

With Centring Collar


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø30/36/55

Material: 1.7139 ca. 700HV



B	K	d1	d2	I	D	L	L1
9	6	42	47	7	30	36	55
				75			
				95			
				115			
				155			
				245			
				285			
9	6	42	47	7			30
				65			
				75			
				85			
				95			
				105			
				125			
				165			
				245			
				285			
9	6	42	47	7	30	56	55
				75			
				95			
				115			
				135			
				155			
				175			
				245			
				295			
				9			6
				75			
				95			
				115			
				135			
				155			
				175			
				245			
				275			
				295			
9	6	42	47	7	30	76	55
				75			
				95			
				115			
				155			
				225			
				235			

B	K	d1	d2	I	D	L	L1
9	6	42	47	7	30	86	55
				75			
				95			
				115			
				155			
				225			
9	6	42	47	7			30
				75			
				95			
				115			
				155			
				205			
9	6	42	47	7	30	116	
				115			
				155			
9	6	42	47	7	30	136	95
				115			
				155			
9	6	42	47	7	30	156	115
				155			
9	6	42	47	7	30	156	115
				155			
9	6	42	47	7	30	176	115
				135			
				155			
				175			
				195			
9	6	42	47	7			30
				195			
9	6	42	47	7	32	27	45
				65			
				105			
				165			
				185			
				245			
				285			

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø32/36/55



Material: 1.7139 ca. 700HV

B	K	d1	d2	l	D	L	L1
9	6	42	47	7	32	36	55
							75
							95
							115
							155
							245
							285
9	6	42	47	7	32	46	45
							65
							75
							85
							95
							105
							125
							165
							245
							285
9	6	42	47	7	32	56	55
							75
							95
							115
							135
							155
							175
							245
							295
9	6	42	47	7	32	66	55
							75
							95
							115
							135
							155
							175
							245
							275
							295
9	6	42	47	7	32	76	55
							75
							95
							115
							155
							225
							235

B	K	d1	d2	l	D	L	L1
9	6	42	47	7	32	86	55
							75
							95
							115
							155
							225
9	6	42	47	7	32	96	55
							75
							95
							115
							155
							205
9	6	42	47	7	32	116	75
							115
							155
9	6	42	47	7	32	136	95
							115
							155
9	6	42	47	7	32	156	115
							155
9	6	42	47	7	32	176	115
							135
							155
							175
							195
9	6	42	47	7	32	196	155
							195
12	10	54	59	10	40	36	75
							115
12	10	54	59	10	40	46	95
							165
12	10	54	59	10	40	56	75
							95
							115
							155
							195
12	10	54	59	10	40	66	75
							135

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø40/76/75



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L	L1
12	10	54	59	10	40	76	75
							95
							115
							155
							175
12	10	54	59	10	40	86	75
							135
12	10	54	59	10	40	96	75
							95
							115
							155
							195
12	10	54	59	10	40	116	95
							115
							135
							155
							195
							215
12	10	54	59	10	40	136	95
							115
							135
							155
							195
							215
12	10	54	59	10	40	156	115
							155
							195
							215
12	10	54	59	10	40	176	135
							155
							175
							195
12	10	54	59	10	40	196	115
							155
							195
							235
12	10	54	59	10	40	246	165
							245
12	10	54	59	10	42	36	75
							115

B	K	d1	d2	L	D	L	L1
12	10	54	59	10	42	56	75
							95
							115
							155
							195
12	10	54	59	10	42	66	75
							135
12	10	54	59	10	42	76	75
							95
							115
							155
							175
12	10	54	59	10	42	86	75
							135
12	10	54	59	10	42	96	75
							95
							115
							155
							195
12	10	54	59	10	42	116	95
							115
							135
							155
							195
12	10	54	59	10	42	136	95
							115
							135
							155
							195
12	10	54	59	10	42	156	115
							155
							195
							215
12	10	54	59	10	42	176	135
							155
							175
							195

N02

Guide Pillar


With Centring Collar

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø40/76/75



Material: 1.7139 ca. 700HV

[illegible][illegible]