

N021

Guide Pillar With Centring Collar


With DLC Coating

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø9/12/25



Material: 1.7139 ca. 700HV

B	K	d1	d2	I	D	L	L1
3	3	14	16	4	9	12	25
				45			
				65			
3	3	14	16	4	9	17	20
				25			
				30			
				35			
				50			
				55			
				70			
				75			
3	3	14	16	4	9	22	25
				35			
				55			
				75			
				95			
3	3	14	16	4	9	27	20
				25			
				30			
				35			
				45			
				50			
				70			
				90			
3	3	14	16	4	9	36	25
				35			
				45			
				55			
				65			
				84			
3	3	14	16	4	9	46	30
				35			
				45			
				55			
				70			
3	3	14	16	4	9	56	35
				60			
3	3	14	16	4	10	12	25
				45			
				65			

B	K	d1	d2	I	D	L	L1
3	3	14	16	4	10	17	20
				25			
				30			
				35			
				50			
				55			
				70			
				75			
3	3	14	16	4	10	22	25
				35			
				55			
				75			
				95			
3	3	14	16	4	10	27	20
				25			
				30			
				35			
				45			
				50			
				70			
				90			
3	3	14	16	4	10	36	25
				35			
				45			
				55			
				65			
				85			
3	3	14	16	4	10	46	30
				35			
				45			
				55			
				70			
3	3	14	16	4	10	56	25
				60			
9	6	20	25	5	14	17	35
				55			
				75			
				95			

N021

Guide Pillar With Centring Collar


With DLC Coating

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø14/22/25



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
9	6	20	25	5	14	22
					14	25
						30
						35
						50
						70
						90
						110
						125
						150
9	6	20	25	5	14	27
					14	25
						30
						45
						65
						85
						95
						105
						115
						125
						145
						165
9	6	20	25	5	14	36
					14	35
						55
						75
						95
						115
						125
						155
9	6	20	25	5	14	46
					14	35
						45
						65
						85
						105
						125
						145
9	6	20	25	5	14	56
					14	35
						55
						75
						95
						115
					14	135
						155
						175
						195
9	6	20	25	5	14	66
					14	55
						65
						95
						125

B	K	d1	d2	L	D	L1
9	6	20	25	5	14	76
					14	55
						95
9	6	20	25	5	14	86
					14	55
						75
						95
9	6	20	25	5	14	96
					14	55
						95
9	6	20	25	5	14	116
					15	35
						55
						75
						95
9	6	20	25	5	15	22
					15	25
						30
						35
						50
						70
						90
						110
					15	125
						150
						175
						195
						215
						235
9	6	20	25	5	15	27
					15	25
						30
						45
						65
						85
						105
						115
					15	125
						145
						165
						185
						205
						225
9	6	20	25	5	15	36
					15	35
						55
						75
						95
						115
						125
					15	155
						175
						195
						215

N021

Guide Pillar With Centring Collar

With DLC Coating


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø15/46/35

Material: 1.7139 ca. 700HV



B	K	d1	d2	L	D	L1
9	6	20	25	5	15	46
						35
						45
						65
						85
						105
						125
						145
9	6	20	25	5	15	56
						35
						55
						75
						95
						115
9	6	20	25	5	15	66
						55
						65
						95
						125
9	6	20	25	5	15	76
						55
						95
9	6	20	25	5	15	86
						55
						75
						95
9	6	20	25	5	15	96
						55
						95
9	6	20	25	5	15	116
						75
9	6	26	31	7	18	17
						35
						55
						75
						120
9	6	26	31	7	18	22
						35
						45
						65
						85
						115

B	K	d1	d2	L	D	L1
9	6	26	31	7	18	27
						35
						45
						65
						85
						105
						125
						165
9	6	26	31	7	18	36
						35
						55
						75
						95
						115
						135
9	6	26	31	7	18	46
						35
						45
						65
						85
9	6	26	31	7	18	56
						35
						55
						75
						95
9	6	26	31	7	18	66
						35
						55
						75
						95
9	6	26	31	7	18	76
						55
						75
						95
						135

N021

Guide Pillar With Centring Collar

With DLC Coating


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø18/86/55

Material: 1.7139 ca. 700HV



B	K	d1	d2	L	D	L1
9	6	26	31	7	18	86
						55
						75
						95
						125
9	6	26	31	7	18	96
						55
						95
9	6	26	31	7	18	116
						75
						115
9	6	26	31	7	18	136
						135
9	6	26	31	7	20	22
						35
						45
						65
						85
						115
9	6	26	31	7	20	27
						35
						45
						65
						85
						105
						125
						165
						225
						245
9	6	26	31	7	20	36
						35
						55
						75
						95
						115
						135
						165
						225
						255
9	6	26	31	7	20	46
						35
						45
						65
						85
						105
						115
						135
						165
						245

B	K	d1	d2	L	D	L1
9	6	26	31	7	20	56
						35
						55
						75
						95
						155
9	6	26	31	7	20	66
						35
						55
						75
						95
						145
9	6	26	31	7	20	76
						55
						75
						95
						125
9	6	26	31	7	20	86
						55
						75
						95
						125
9	6	26	31	7	20	96
						55
						95
9	6	26	31	7	20	116
						75
						115
9	6	26	31	7	20	136
						135
9	6	30	35	7	22	17
						35
						55
						75
9	6	30	35	7	22	22
						35
						55
						75
						105
						130

N021

Guide Pillar With Centring Collar

With DLC Coating


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 22/27/35

Material: 1.7139 ca. 700HV



B	K	d1	d2	L	D	L1
9	6	30	35	7	22	27
						35
						45
						55
						65
						75
						85
						95
						105
						115
						125
						155
						165
						205
						245
						285
9	6	30	35	7	22	36
						35
						55
						75
						95
						115
						135
						155
						165
						205
						245
						285
9	6	30	35	7	22	46
						35
						45
						65
						85
						105
						125
						155
						165
						205
9	6	30	35	7	22	56
						35
						55
						75
						95
						115
						165
						205

B	K	d1	d2	L	D	L1
9	6	30	35	7	22	66
						35
						55
						75
						95
						155
9	6	30	35	7	22	76
						55
						75
						95
						115
						135
						145
						155
9	6	30	35	7	22	86
						55
						75
						95
						135
						155
						195
9	6	30	35	7	22	96
						55
						75
						95
						125
9	6	30	35	7	22	116
						75
						115
						135
						155
9	6	30	35	7	22	136
						95
						135
9	6	30	35	7	22	156
						155
9	6	30	35	7	24	17
						35
						55
						75
9	6	30	35	7	24	22
						35
						55
						75
						105
						130

N021

Guide Pillar With Centring Collar


With DLC Coating

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø9/12/45



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
9	6	30	35	7	24	27
					24	35
						45
						55
						65
						75
						85
						95
						105
						115
						125
					24	155
						165
						205
						245
						285
9	6	30	35	7	24	36
					24	35
						55
						75
						95
						115
						135
						155
						165
						205
						245
9	6	30	35	7	24	46
					24	35
						45
						65
						85
						105
						125
						155
						165
						205
9	6	30	35	7	24	56
					24	35
						55
						75
						95
						115
						165
						205

B	K	d1	d2	L	D	L1
9	6	30	35	7	24	66
					24	35
						55
						75
						95
						155
9	6	30	35	7	24	76
					24	55
						75
						95
						115
						135
						145
9	6	30	35	7	24	86
					24	55
						75
						95
						135
						195
9	6	30	35	7	24	96
					24	55
						75
						95
						125
9	6	30	35	7	24	116
					24	75
						115
						135
9	6	30	35	7	24	136
					24	95
						135
9	6	30	35	7	24	156
					30	155
9	6	42	47	7	30	27
					30	45
						65
						105
						165
						185
						245
						285

N021

Guide Pillar With Centring Collar

With DLC Coating


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø30/36/55

Material: 1.7139 ca. 700HV



B	K	d1	d2	L	D	L1
9	6	42	47	7	30	36
					30	55
						75
						95
						115
						155
						245
						295
9	6	42	47	7	30	46
					30	45
						65
						75
						85
						95
						105
						125
						165
						245
						285
9	6	42	47	7	30	56
					30	55
						75
						95
						115
						135
						155
						175
						245
						295
9	6	42	47	7	30	66
					30	55
						75
						95
						115
						135
						155
						175
						245
						275
						295
9	6	42	47	7	30	76
					30	55
						75
						95
						115
						155
						225
						235

B	K	d1	d2	L	D	L1
9	6	42	47	7	30	86
					30	55
						75
						95
						115
						155
						225
9	6	42	47	7	30	96
					30	55
						75
						95
						115
						155
						205
9	6	42	47	7	30	116
					30	75
						115
						155
9	6	42	47	7	30	136
					30	95
						115
						155
9	6	42	47	7	30	176
					30	115
						135
						155
						175
						195
9	6	42	47	7	30	196
					30	155
						195
9	6	42	47	7	32	27
					32	45
						65
						105
						165
						185
						245
						285
9	6	42	47	7	32	36
					32	55
						75
						95
						115
						155
						245
						285

N021

Guide Pillar With Centring Collar

With DLC Coating


Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø32/46/45

Material: 1.7139 ca. 700HV



K	d1	d2	L	L1
9	6	42	47	7
9	6	42	47	7
9	6	42	47	7
9	6	42	47	7
9	6	42	47	7
9	6	42	47	7
9	6	42	47	7

B	K	d1	d2	L	L1
9	6	42	47	7	32
9	6	42	47	7	32
9	6	42	47	7	32
9	6	42	47	7	32
9	6	42	47	7	32
9	6	42	47	7	32
9	6	42	47	7	32
12	10	54	59	10	40
12	10	54	59	10	40
12	10	54	59	10	40
12	10	54	59	10	40
12	10	54	59	10	40
12	10	54	59	10	40

N021

Guide Pillar With Centring Collar


With DLC Coating

Ordering-Example:

1 Piece

Special Sizes Available On Request.

N01 Ø9/12/45



Material: 1.7139 ca. 700HV

B	K	d1	d2	L	D	L1
12	10	54	59	10	40	96
					40	75
						95
						115
						155
						195
12	10	54	59	10	40	116
					40	95
						115
						135
						155
						195
12	10	54	59	10	40	136
					40	95
						115
						135
						155
						195
						215
12	10	54	59	10	40	156
					40	115
						155
						195
						215
12	10	54	59	10	40	176
					40	135
						155
						175
						195
12	10	54	59	10	40	196
					40	115
						155
						195
						235
12	10	54	59	10	40	246
					40	165
						245
12	10	54	59	10	42	36
					42	75
						115
12	10	54	59	10	42	46
					42	95
						165
12	10	54	59	10	42	56
					42	75
						95
						115
						155
						195

B	K	d1	d2	L	D	L1
12	10	54	59	10	42	66
					42	75
						135
12	10	54	59	10	42	76
					42	75
						95
						115
						155
						175
12	10	54	59	10	42	86
					42	75
						135
12	10	54	59	10	42	96
					42	75
						95
						115
						155
						195
12	10	54	59	10	42	116
					42	95
						115
						135
						155
						195
12	10	54	59	10	42	136
					42	95
						115
						135
						155
						195
						215
12	10	54	59	10	42	156
					42	115
						155
						195
						215
12	10	54	59	10	42	176
					42	135
						155
						175
						195
12	10	54	59	10	42	196
					42	115
						155
						195
						235
12	10	54	59	10	42	246
					42	165
						245