





KR

COOLED RACK LIFTER


Special Sizes Available On Request.

● Cad Insertion Point



IMPORTANT!
COOLING CONNECTION OPTIONS

Only for Stroke 125
Option A Option B



Special Sizes Available On Request.

● Cad Insertion Point

| | Ref. | X° | | | | A | B | C | E | F | G |
|--------------|-------------|----|----|----|----|----|----|----|----|----|----|
| Stoke 125 | KR.22125L-x | 8 | 12 | 16 | 20 | 22 | 12 | 12 | 22 | 16 | 20 |
| | KR.28125L-x | 8 | 12 | 16 | 20 | 28 | 16 | 14 | 28 | 16 | 20 |
| | KR.34125L-x | 8 | 12 | 16 | 20 | 34 | 20 | 16 | 34 | 18 | 20 |
| | KR.40125L-x | 8 | 12 | 16 | 20 | 40 | 22 | 20 | 40 | 20 | 25 |
| | KR.46125L-x | 8 | 12 | 16 | 20 | 46 | 24 | 24 | 46 | 22 | 25 |
| Stoke 200 | KR.58200L-x | 8 | 12 | 16 | - | 58 | 30 | 30 | 66 | 25 | 55 |
| | KR.76200L-x | 8 | 12 | 16 | - | 76 | 40 | 40 | 80 | 30 | 60 |

IMPORTANT!
Mirror part

| H | L | P | Q | R | S | T | U | V | OR | Mirror Ref. -S | SW |
|------|-------|-----|------|-----|---------|-----|----|----|---------|----------------|----|
| 10.8 | 282 | 260 | 6.5 | M6 | - | M6 | 23 | 8 | 8x1.25 | KR.22125L-x-S | 4 |
| 13.8 | 294.5 | 272 | 8.5 | M8 | - | M8 | 23 | 8 | 11x1.3 | KR.28125L-x-S | 5 |
| 17.8 | 311.5 | 275 | 10.5 | M8 | - | M8 | 25 | 8 | 14x1.78 | KR.34125L-x-S | 5 |
| 19.8 | 342 | 350 | 10.5 | M10 | - | M10 | 28 | 10 | 16x2 | KR.40125L-x-S | 6 |
| 21.8 | 361 | 350 | 10.5 | M12 | - | M12 | 30 | 10 | 18x2 | KR.46125L-x-S | 8 |
| 26 | 362 | 430 | 13.5 | M20 | 1/4"Gas | M14 | 60 | 12 | 21x2.5 | KR.58200L-x-S | 12 |
| 34 | 392 | 470 | 17 | M24 | 3/8"Gas | M18 | 70 | 12 | 28x3 | KR.76200L-x-S | 14 |

HOW TO ORDER

X° Check page 48-49 for Min / Max β values

β° < 0 & β° = 0

β° > 0

A Stroke X° β
Standard
A Stroke X° β
KR 28 125L - 12 -10

A Stroke X° β
Symmetrical
A Stroke X° β
KR 28 125L - 12 -S -10

Special Sizes Available On Request.

Stroke 100 (DR)
Stroke 200 (KR)
(Multiply S value x2)

| β° | DR.xx100L-8 | | DR.xx100L-12 | | DR.xx100L-16 | | DR.xx100L-20 | |
|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | KR.xx200L-8 | | KR.xx200L-12 | | KR.xx200L-16 | | | |
| | S(- β°) | S(+ β°) |
| 0 | 14.0 | | 21.2 | | 28.6 | | 36.4 | |
| 1 | 14.0 | 14.0 | 21.1 | 21.3 | 28.5 | 28.8 | 36.1 | 36.6 |
| 2 | 13.9 | 14.1 | 21.1 | 21.4 | 28.3 | 28.9 | 35.9 | 36.8 |
| 3 | 13.9 | 14.1 | 21.0 | 21.5 | 28.2 | 29.1 | 35.7 | 37.1 |
| 4 | 13.9 | 14.1 | 20.9 | 21.5 | 28.1 | 29.2 | 35.4 | 37.3 |
| 5 | 13.8 | 14.2 | 20.8 | 21.6 | 27.9 | 20.4 | 35.2 | 37.5 |
| 6 | 13.8 | 14.2 | 20.7 | 21.7 | 27.8 | 29.5 | 35.0 | 37.8 |
| 7 | 13.8 | 14.3 | 20.7 | 21.8 | 27.7 | 29.7 | 34.8 | 38.1 |
| 8 | 13.7 | 14.3 | 20.6 | 21.9 | 27.5 | 29.8 | 34.6 | 38.3 |
| 9 | 13.7 | 14.3 | 20.5 | 22.0 | 27.4 | 30.0 | 34.4 | 38.6 |
| 10 | 13.7 | 14.4 | 20.4 | 22.0 | 27.2 | 30.2 | 34.2 | 38.8 |
| 11 | 13.6 | 14.4 | 20.4 | 22.1 | 27.1 | 30.3 | 33.9 | 39.1 |
| 12 | 13.6 | 14.4 | 20.3 | 22.2 | 27.0 | 30.5 | 33.7 | 39.4 |
| 13 | 13.6 | 14.5 | 20.2 | 22.3 | 26.8 | 30.7 | 33.5 | 39.7 |
| 14 | 13.5 | 14.5 | 20.1 | 22.4 | 26.7 | 30.8 | 33.3 | 40.0 |
| 15 | 13.5 | 14.6 | 20.1 | 22.5 | 26.6 | 31.0 | 33.1 | 40.3 |
| 16 | 13.5 | 14.6 | 20.0 | 22.6 | 26.5 | 31.2 | 32.9 | 40.6 |
| 17 | 13.4 | 14.6 | 19.9 | 22.7 | 26.3 | 31.4 | 32.7 | 40.9 |
| 18 | 13.4 | 14.7 | 19.8 | 22.8 | 26.2 | 31.6 | 32.5 | 41.2 |
| 19 | 13.4 | 14.7 | 19.8 | 22.9 | 26.1 | 31.8 | 32.3 | 41.6 |
| 20 | 13.3 | 14.8 | 19.7 | 23.0 | 25.9 | 32.0 | 32.1 | 41.9 |
| 21 | 13.3 | 14.8 | 19.6 | 23.1 | 25.8 | 32.2 | 31.9 | |
| 22 | 13.2 | 14.9 | 19.5 | 23.2 | 25.6 | 32.4 | 31.7 | |
| 23 | 13.2 | 14.9 | 19.4 | 23.3 | 25.5 | 32.6 | 31.5 | |
| 24 | 13.2 | 14.9 | 19.4 | 23.4 | 25.4 | 32.8 | 31.3 | |
| 25 | 13.1 | 15.0 | 19.3 | 23.5 | 25.3 | 33.1 | 31.1 | |
| 26 | 13.1 | 15.0 | 19.2 | 23.7 | 25.0 | | 30.9 | |
| 27 | 13.1 | 15.1 | 19.1 | 23.8 | 24.8 | | 30.7 | |
| 28 | 13.0 | 15.1 | 19.0 | 23.9 | 24.7 | | 30.4 | |
| 29 | 13.0 | 15.2 | 19.0 | 24.0 | 24.6 | | 30.2 | |
| 30 | 12.9 | 15.2 | 18.9 | 24.2 | 24.4 | | 30.0 | |
| 31 | 12.9 | 15.3 | 18.8 | | 24.3 | | 29.8 | |
| 32 | 12.9 | 15.4 | 18.7 | | 24.1 | | 29.6 | |
| 33 | 12.8 | 15.4 | 18.6 | | 24.0 | | 29.4 | |
| 34 | 12.8 | 15.5 | 18.5 | | 23.8 | | 29.2 | |
| 35 | 12.7 | 15.5 | 18.5 | | 23.7 | | 29.0 | |
| 36 | 12.7 | | 18.4 | | 23.5 | | 28.7 | |
| 37 | 12.7 | | 18.3 | | 23.4 | | 28.5 | |
| 38 | 12.6 | | 18.2 | | 23.2 | | 28.3 | |
| 39 | 12.6 | | 18.1 | | 23.1 | | 28.1 | |
| 40 | 12.5 | | 18.0 | | 22.2 | | 27.8 | |
| 45 | 12.3 | | 17.5 | | 21.3 | | 26.6 | |
| 50 | 12.0 | | 16.9 | | 20.3 | | 25.1 | |
| 55 | 11.7 | | 16.3 | | 19.1 | | 23.9 | |
| 60 | 11.3 | | 15.5 | | | | 22.3 | |

Special Sizes Available On Request.

Stroke 125 (DR / KR)

| β° | DR.xx125L-8 | | DR.xx125L-12 | | DR.xx125L-16 | | DR.xx125L-20 | |
|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | KR.xx125L-8 | | KR.xx125L-12 | | KR.xx125L-16 | | KR.xx125L-20 | |
| | S(- β°) | S(+ β°) |
| 0 | 17.5 | | 26.5 | | 35.8 | | 45.4 | |
| 1 | 17.5 | 17.6 | 26.4 | 26.6 | 35.6 | 36.0 | 45.2 | 45.7 |
| 2 | 17.4 | 17.6 | 26.3 | 26.7 | 35.4 | 36.2 | 44.9 | 46.0 |
| 3 | 17.4 | 17.6 | 26.2 | 26.8 | 35.3 | 36.3 | 44.6 | 46.3 |
| 4 | 18.3 | 17.7 | 26.1 | 26.9 | 35.1 | 36.5 | 44.3 | 46.6 |
| 5 | 17.3 | 17.7 | 26.0 | 27.0 | 34.9 | 36.7 | 44.0 | 46.9 |
| 6 | 17.3 | 17.8 | 25.9 | 27.1 | 34.7 | 36.9 | 43.8 | 47.3 |
| 7 | 17.2 | 17.8 | 25.8 | 27.2 | 34.6 | 37.1 | 43.5 | 47.6 |
| 8 | 17.2 | 17.9 | 25.7 | 27.3 | 34.4 | 37.3 | 43.2 | 47.9 |
| 9 | 17.1 | 17.9 | 25.7 | 27.4 | 34.2 | 37.5 | 43.0 | 48.2 |
| 10 | 17.1 | 18.0 | 25.6 | 27.6 | 34.1 | 37.7 | 42.7 | 48.6 |
| 11 | 17.1 | 18.0 | 25.5 | 27.7 | 33.9 | 37.9 | 42.4 | 48.9 |
| 12 | 17.0 | 18.1 | 25.4 | 27.8 | 33.7 | 38.1 | 42.2 | 49.3 |
| 13 | 17.0 | 18.1 | 25.3 | 27.9 | 33.6 | 38.3 | 41.9 | 49.6 |
| 14 | 16.9 | 18.2 | 25.2 | 28.0 | 33.4 | 38.6 | 41.7 | 50.0 |
| 15 | 16.9 | 18.2 | 25.1 | 28.1 | 33.2 | 38.8 | 41.4 | 50.4 |
| 16 | 16.8 | 18.3 | 25.0 | 28.2 | 33.1 | 39.0 | 41.1 | 50.7 |
| 17 | 16.8 | 18.3 | 24.9 | 28.4 | 32.9 | 39.2 | 40.9 | 51.1 |
| 18 | 16.8 | 18.4 | 24.8 | 28.5 | 32.7 | 39.5 | 40.6 | 51.5 |
| 19 | 16.7 | 18.4 | 24.7 | 28.6 | 32.6 | 39.7 | 40.4 | 52.0 |
| 20 | 16.7 | 18.5 | 24.6 | 28.7 | 32.4 | 40.0 | 40.1 | 52.4 |
| 21 | 16.6 | 18.5 | 24.5 | 28.9 | 32.2 | 40.2 | 39.9 | |
| 22 | 16.6 | 18.6 | 24.4 | 29.0 | 32.1 | 40.5 | 39.6 | |
| 23 | 16.5 | 18.6 | 24.3 | 29.2 | 31.9 | 40.8 | 39.4 | |
| 24 | 16.5 | 18.7 | 24.2 | 29.3 | 31.7 | 41.0 | 39.1 | |
| 25 | 16.4 | 18.7 | 24.1 | 29.4 | 31.6 | 41.3 | 38.8 | |
| 26 | 16.4 | 18.8 | 24.0 | 29.6 | 31.4 | | 38.6 | |
| 27 | 16.3 | 18.9 | 23.9 | 29.7 | 31.2 | | 38.3 | |
| 28 | 16.3 | 19.0 | 23.8 | 29.9 | 31.1 | | 38.1 | |
| 29 | 16.2 | 19.1 | 23.7 | 30.1 | 30.9 | | 37.8 | |
| 30 | 16.2 | 19.1 | 23.6 | 30.2 | 30.7 | | 37.5 | |
| 31 | 16.1 | 19.2 | 23.5 | | 30.5 | | 37.3 | |
| 32 | 16.1 | 19.3 | 23.4 | | 30.3 | | 37.0 | |
| 33 | 16.0 | 19.4 | 23.3 | | 30.2 | | 36.7 | |
| 34 | 16.0 | 19.4 | 23.2 | | 30.0 | | 36.5 | |
| 35 | 15.9 | | 23.1 | | 29.8 | | 36.2 | |
| 36 | 15.9 | | 23.0 | | 29.6 | | 35.9 | |
| 37 | 15.8 | | 22.9 | | 29.4 | | 35.7 | |
| 38 | 15.8 | | 22.7 | | 29.2 | | 35.4 | |
| 39 | 15.7 | | 22.6 | | 29.0 | | 35.1 | |
| 40 | 15.7 | | 22.5 | | 28.8 | | 34.8 | |
| 45 | 15.4 | | 21.9 | | 27.8 | | 33.3 | |
| 50 | 15.0 | | 21.1 | | 26.7 | | 31.7 | |
| 55 | 14.6 | | 20.3 | | 25.4 | | 29.9 | |
| 60 | 14.1 | | 19.4 | | 23.9 | | 27.9 | |

Special Sizes Available On Request.

Stroke 100 (XR)

| β° | XRxx100L-24 | | XRxx100L-28 | | XRxx100L-32 | | XRxx100L-36 | |
|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | S(- β°) | S(+ β°) |
| 0 | 44.5 | | 53.2 | | 62.5 | | 72.7 | |
| 1 | 44.2 | 44.9 | 52.7 | 53.7 | 61.8 | 63.2 | 71.7 | 73.6 |
| 2 | 43.8 | 45.2 | 52.2 | 54.2 | 61.2 | 63.9 | 70.9 | 74.5 |
| 3 | 43.5 | 45.6 | 51.7 | 54.7 | 60.5 | 64.6 | 70.0 | 75.5 |
| 4 | 43.2 | 46.0 | 51.3 | 55.2 | 59.9 | 65.3 | 69.1 | 76.5 |
| 5 | 42.9 | 46.3 | 50.8 | 55.8 | 59.2 | 66.1 | 68.3 | 77.6 |
| 6 | 42.5 | 46.7 | 50.4 | 56.3 | 58.6 | 66.9 | 67.5 | 78.7 |
| 7 | 42.2 | 47.1 | 49.9 | 56.9 | 58.0 | 67.7 | 66.7 | 79.8 |
| 8 | 41.9 | 47.5 | 49.5 | 57.5 | 57.4 | 68.5 | 65.9 | |
| 9 | 41.6 | 47.9 | 49.0 | 58.1 | 56.9 | 69.4 | 65.2 | |
| 10 | 41.3 | 48.3 | 48.6 | 58.7 | 56.3 | 70.2 | 64.4 | |
| 11 | 41.0 | 48.7 | 48.2 | 59.3 | 55.7 | 71.1 | 63.7 | |
| 12 | 40.7 | 49.2 | 47.8 | 59.9 | 55.2 | | 62.9 | |
| 13 | 40.4 | 49.6 | 47.4 | 60.6 | 54.6 | | 62.2 | |
| 14 | 40.1 | 50.1 | 46.9 | 61.3 | 54.1 | | 61.5 | |
| 15 | 39.8 | 50.6 | 46.5 | 62.0 | 53.5 | | 60.8 | |
| 16 | 39.5 | 51.0 | 46.1 | | 53.0 | | 60.1 | |
| 17 | 39.2 | 51.5 | 45.7 | | 52.5 | | 59.4 | |
| 18 | 38.9 | 52.1 | 45.3 | | 51.9 | | 58.8 | |
| 19 | 38.6 | 51.6 | 44.9 | | 51.4 | | 58.1 | |
| 20 | 38.3 | | 44.5 | | 50.9 | | 57.5 | |
| 21 | 38.0 | | 44.2 | | 50.4 | | 56.8 | |
| 22 | 37.7 | | 43.8 | | 49.9 | | 56.2 | |
| 23 | 37.4 | | 43.4 | | 49.4 | | 55.5 | |
| 24 | 37.2 | | 43.0 | | 48.9 | | 54.9 | |
| 25 | 36.9 | | 42.6 | | 48.4 | | 54.3 | |
| 26 | 36.6 | | 42.2 | | 47.9 | | 53.6 | |
| 27 | 36.3 | | 41.8 | | 47.4 | | 53.0 | |
| 28 | 36.0 | | 41.5 | | 46.9 | | 52.4 | |
| 29 | 35.7 | | 41.1 | | 46.4 | | 51.8 | |
| 30 | 35.4 | | 40.7 | | 45.9 | | 51.2 | |
| 31 | 35.1 | | 40.3 | | 45.4 | | 50.6 | |
| 32 | 34.8 | | 39.9 | | 44.9 | | 50.0 | |
| 33 | 34.5 | | 39.5 | | 44.4 | | 49.4 | |
| 34 | 34.2 | | 39.1 | | 44.0 | | 48.8 | |
| 35 | 33.9 | | 38.7 | | 43.5 | | 48.2 | |
| 36 | 33.6 | | 38.4 | | 43.0 | | 47.6 | |
| 37 | 33.3 | | 38.0 | | 42.5 | | 46.9 | |
| 38 | 33.0 | | 37.6 | | 42.0 | | 46.3 | |
| 39 | 32.7 | | 37.2 | | 41.5 | | 45.7 | |
| 40 | 32.4 | | 36.8 | | 41.0 | | 45.1 | |
| 45 | 30.8 | | 34.7 | | 38.4 | | 42.0 | |
| 50 | | | | | | | | |
| 55 | | | | | | | | |
| 60 | | | | | | | | |